




TITAN 4.5-12.5



TITAN

WAC-Linesystem



Lineplan: TITAN-4.5 series

04.04.03

Nr	Length(cm)	diamr (mm)	colour	material
a2	116,5	0,8	white	DC 100
a5	107	0,8	white	DC 100
a8	112	0,8	white	DC 100
a11	99	0,8	white	DC 100
a13	71	0,8	white	DC 100
a14	62,5	0,8	white	DC 100
a15	58,5	0,8	white	DC 100
AI	172	1,4	green/red	DC 200
AII	155	1,4	green/red	DC 200
AIII	172	1,2	white	DC 160
b2	114,5	0,6	white	DC 60
b5	105,5	0,6	white	DC 60
b8	110	0,6	white	DC 60
b11	99	0,6	white	DC 60
c2	122,5	0,6	white	DC 60
c5	113,5	0,6	white	DC 60
c8	120,5	0,6	white	DC 60
c11	110	0,6	white	DC 60
c15	235,5	0,8	white	DC100
CI	172	1,2	white	DC 160
CII	155	1,2	white	DC 160
br3	128	0,8	white	DC 100
br7	94,5	0,8	white	DC 100
br9	86,5	0,8	white	DC 100
br11	89	0,8	white	DC 100
br14	79,5	0,8	white	DC 100
Brint1	137,5	1,2	white	DC 160
Brint2	120,5	0,8	white	DC 100
brmain	141	1,8	red -- green	DC 300
C-riser line	41	2	red -- green	DSL 350
A-B riser line	273,5	1,8	black	DC 300
Wac line	11,5	1,4	red -- green	DC 200

Titan WAC Lineset

AB-Riserline must be 273,5 cm long.

Line:	Number:	Length:	Fabric:	Colour
SteeringTop line red		1 15,25 m	DC 300	red
Steering Top line green		1 15,25 m	DC 300	green
DePower Top line black		1 11,70 m	DC 300	black
Steering extension Line +2,5m red		1 2,5 m	DC 300	red
Steering extension Line +2,5m green		1 2,5 m	DC 300	green
DePower				
Extension Line +2,5m black		1 2,5 m	DC 300	black
Steering extension Line+5m red		1 5 m	DC 300	red
Steering				
Extension Line+5m green		1 5 m	DC 300	green
DePower extension Line+5m black		1 5 m	DC 300	Black
Depower-Knot-Line		1 1,96m to knot		
+9 cm after the knot for trimming.	DR2 500	Black		
V-Line thick red		1 2,00 m	DR2 500	red
V-Line thick green		1 2,00 m	DR2 500	green
V-Line thin red		1 2,65 m	DC 300	red
V-Line thin green		1 2,65 m	DC 300	green
Break-Knot line green		1 0,10 m	DC 300	green
Break-Knot line red		1 0,10 m	DC 300	Red
C-Knot line green		1 0,10 m	DSL 350	green
C-Knot line red		1 0,10 m	DSL 350	Red