


SPEED-Lineplan



Name	Length(cm)	cutting (cm)	colour	material	number of pieces
A:1	176.6	196.6	white	DC 100	2
A:3	155.9	175.9	white	DC 100	2
A:5	142	162	white	DC 100	2
A:7	156.6	176.6	white	DC 100	2
A:9	135	155	white	DC 100	2
A:11	116.9	136.9	white	DC 100	2
A:13	69.7	89.7	white	DC 100	2
A:14	59.3	79.3	white	DC 100	2
A:15	50.6	70.6	white	DC 100	2
B:1	175	195	white	DC 60	2
B:3	154.1	174.1	white	DC 60	2
B:5	140.2	160.2	white	DC 60	2
B:7	155.1	175.1	white	DC 60	2
B:9	133.7	153.7	white	DC 60	2
B:11	116	136	white	DC 60	2
C:1	172.9	192.9	white	DC 60	2
C:3	152.2	172.2	white	DC 60	2
C:5	138.4	158.4	white	DC 60	2
C:7	153.3	173.3	white	DC 60	2
C:9	132	152	white	DC 60	2
C:11	114.6	134.6	white	DC 60	2
C:16	123	143	white	DNV 120	2
Z:1	149.5	169.5	white	DC 100	2
Z:3	126.6	146.6	white	DC 60	2
Z:5	176.7	196.7	white	DC 60	2
Z:7	151.7	171.7	white	DC 60	2
Z:9	132.5	152.5	white	DC 60	2
Z:11	121.7	141.7	white	DC 60	2
Z:13	52	72	white	DC 60	2
Z:15	34.7	54.7	white	DC 60	2
Z:17	69.8	89.8	white	DC 100	2
A-I	290.7	310.7	red/green	DC 200	2
A-II	254.3	274.3	red/green	DC 200	2
A-III	278.6	298.6	red/green	DC 200	2
C-I	290.7	310.7	white	DC 100	2
C-II	254.3	274.3	white	DC 100	2
Z-I	258.1	278.1	white	DC 160	2
Z-II	185.4	205.4	white	DC 160	2
Z-III	173.3	193.3	white	DC 160	2
Z-IV	48.4	68.4	white	DC 100	2
Z-Main	225		red/green	DC 200	2
3:1 Mixer					
AB-main	250	270	black	DC 300	2
C-main	111.8		green/red	DC 300	2
STEERING Trimmknotdistance	39325				
150 Sparepartline	150	170	black	DNV-500	2
Z-extend	100	120	green/red	DC 200	2
C V-Line	100	128	white	DC 160	2
WAC-Line	20	40	green/red	DC 200	2

21 Meter Depower Flyinglines	2100		black	DC 300	2
21 Meter Steering Flyinglines	2100		red/green	DC 200	2
Depower Leaderline	0	0	back	DSL 600	1
Adjuster	0	0	back		1
Steering Leaderlines	0	0	back		2
Depowerloopleft	0	0	back	DC 500	1
Depowerloop for WAC	0	0	back		1
Safety Leash Endpiece	0	0	back		1
Gustabsorber	0	0	back		1
Rotorkite leash (Kitesize 7.0)	0	0	back		1

SPEED-Lineplan

